

 **THERMO KING**

T-Series

Delivering what matters

冷王全新T系列

助您一路領“鮮”



T-SERIES

Content

- Introducing the T-Series T系列介紹
- Key features and options 主要特徵及配置
- Specifications 參數
- The GreenTech engine 綠色發動機技術
- New TSR / TSR-2 controller 新的TSR和TSR-2控制器
- Quality you can rely on 可靠的品質
- Thermo King Dealer Service Network 完善的售後網路
















The logo for the T-Series, featuring the word "T-SERIES" in a large, bold, white, sans-serif font. The letters have a slight 3D effect with a dark shadow. Below the main text, the word "T-SERIES" is repeated in a smaller, lighter font. The background of the logo area is a blue gradient with some faint white lines.

Introduction

- Low fuel consumption 低油耗
- Lower life cycle costs 低壽命週期成本
- Easy to use and service 易維護保養
- Reduced emissions & waste 低排放
- Quiet operation 低噪音
- Capacities that match your requirements 高冷量




T系列家族滿足您的所有需求！

Market	Segment 1 4 - 5,5 meters	Segment 2 5,5 - 6,5 meters	Segment 3 6,5 - 7,5 meters	Segment 4 7,5 - 8,5 meters	Segment 5 > 8,5 meters
現有機型	 CD II  MD 100	 TS 200  MD 200	 WKD  TS 300  MD 300	 RD II  TS 500	 TS 600
	↓	↓	↓	↓	↓
NTP					
R_活塞	T500R	T600R	T800R	T1000R	T1200R
M_活塞		T800M	T800M	T1000M	
渦旋壓縮機		T600	T800	T1000	

參數

Performance	T-600R	T-800R/M	T-1000R/M	T-1200R
Refrigeration Capacity 0°C (W)	6000	7500	8700	11500
Refrigeration Capacity -20°C (W)	3800	4250	5200	6900



T-SERIES

參數

Specifications

T-600R

T-800R/M

T-1000R/M

T-1200R

REFRIGERATION CAPACITY: SYSTEM NET COOLING CAPACITY AT 30°C AMBIENT TEMPERATURE UNDER A.T.P. CONDITIONS

0°C		-20°C		0°C		-20°C		0°C		-20°C		0°C		-20°C	
6000		3800		7500		4250		8700		5200		11500		6900	
4600		3200		5900		3300		6400		4200		8900		5300	
2700		2700		2700		2700		3200		3200		3300		3300	
450		450		450		450		470		470		480		480	
470		470		470		470		520		520		530		530	
TK 370		TK 370		TK 370		TK 370		TK 376		TK 376		TK 376		TK 376	
11.2		11.2		11.2		11.2		14.6		14.6		14.6		14.6	
2000		2000		2000		2000		2000		2000		2000		2000	
X214		X214		X214		X214		X426 C5		X426 C5		X430 C5		X430 C5	
228		228		228		228		426		426		430		430	
400V/3Ph/50Hz		400V/3Ph/50Hz		400V/3Ph/50Hz		400V/3Ph/50Hz		400V/3Ph/50Hz		400V/3Ph/50Hz		400V/3Ph/50Hz		400V/3Ph/50Hz	
4.5		4.5		4.5		4.5		7.5		7.5		7.5		7.5	
FULLY APPROVED		FULLY APPROVED		FULLY APPROVED		FULLY APPROVED		FULLY APPROVED		FULLY APPROVED		FULLY APPROVED		FULLY APPROVED	
3.6		3.6		3.8		3.8		4.0		4.0		4.0		4.0	



The GreenTech Engine

Low emissions, high performance


綠色發動機技術

低排放，高性能



T-SERIES

The GreenTech engine



Emissions of particulate matter (PM) from all engines have been substantially reduced
顆粒物排放極大降低

- Engine life 延長發動機壽命
- Bio-fuel compatibility 生物燃料相容 (B5生物燃料)

T-SERIES

New TSR-2 Controller

Easy to use. Hard to beat.

全新的TSR、TSR-2控制器

易操作、無可匹敵。

TruckSmartReefer2

TruckSmartReefer

THERMO KING


T-SERIES

New TSR、TRS-2 Controller

- New intuitive interface 全新的圖示介面，無語言障礙。
- Fuel savings 獨有的Cycle-Sentry等模式，節省燃料。
- Improved diagnosing with ServiceWatch™升級的自我診斷功能
- Easy-to-read LED display LED顯示
- Enhanced safety and security 鍵盤鎖定、相位選擇、油位及防凍液位警報等提高了貨物的安全性

T-SERIES
T-SERIES

Quality you can rely on



Key Features and options

1. ThermoKare
2. Cycle-Sentry
3. Extended maintenance interval: EMI 2000
4. Thermo King high performance battery
5. Whisper low noise kit
6. Thermo King EON battery



TF-SERIES

Key Features and options

7. Warranty coverage
8. TherMax system
9. DAS (Data Acquisition System)
10. TKDL data capture
11. Wintrac (Data Analysis Software)
12. FleetWatch



TFSERIES

Key Features and options

- 13. TrackKing
- 14. TSR-2 in-cab interface
- 15. Auto phase correction
- 16. Diesel/electric auto switching
- 17. Door switches



TSR SERIES

主要特徵 (M機組資料正在更新中)

Features and Options		T-600R	T-800R	T-1000R	T-1200R
LIFE COST MANAGEMENT					
1	ThermoKare	▲	▲	▲	▲
2	Cycle-Sentry	●	●	●	●
3	Extended maintenance interval: EMI 2000	●	●	●	●
4	Thermo King high performance battery	●	●	●	●
5	Whisper™ Low Noise kit	△	△	△	△
6	Thermo King EON battery	△	△	△	△
7	Two year full warranty	●	●	●	●
8	TherMax system	●	●	●	●
DATA CAPTURE & COMMUNICATIONS					
9	DAS (Data Acquisition System)	△	△	△	△
10	TKDL data capture	△	△	△	△
11	Wintrac (data analysis software)	▲	▲	▲	▲
12	FleetWatch (fleet management software)	▲	▲	▲	▲
13	TrackKing (tracking and load monitoring)	▲	▲	▲	▲
LOAD PROTECTION					
14	TSR-2 in-cab interface	●	●	●	●
15	Auto phase correction	●	●	●	●
16	Diesel/electric auto switching	●	●	●	●
17	Door switches	▲	▲	▲	▲

○ Not Available ● Standard Feature △ Option: Factory Installed ▲ Option: Dealer Supplied

T-SERIES

全球市場訊息

截止2010年8月

北美:>1600 台銷售

歐洲:>1500 台銷售

中東地區:100% 切換到T系列, 50C的環境溫度下運行。

澳大利亞:200多台

中國及東南亞:4台樣機在跑路試, 預計11月中旬發佈。

T-SERIES

T系列路演



北美



法國



悉尼



北歐

T-SERIES

吳 江



您還在等什麼？

T-SERIES

代理商網路



遍布亚太地区

- 全面覆盖亚太各地
- 每周七天全天候服务
- 超过40个授权服务点
- 200多名认证技师

T-SERIES

為您所想，讓您高枕無憂！



THERMO KING

冷王 客服熱線



400 820 79 72

800 820 28 28

T-SERIES